

ANNUAL REPORT
OF THE
OFFICERS
OF THE
NORTH EASTON
VILLAGE
DISTRICT



1947

ANNUAL REPORT OF THE NORTH EASTON VILLAGE DISTRICT

OFFICERS FOR THE YEAR ENDING APRIL 1, 1947

WATER COMMISSIONERS

FRANK J. REYNOLDS

Term expires 1947

CLYDE A. CRAIG

Term expires 1948

CORNELIUS P. DAILEY

Term expires 1949

MODERATOR

JOSEPH W. LINEHAN

PRUDENTIAL COMMITTEE

WALFRID J. G. BROMAN

DANIEL L. KENT

JOHN W. MAHONEY

CLERK AND TREASURER

RALPH W. CRAIG

AUDITORS

ARTHUR F. ANDERSON

JOSEPH CONNOLLY

Report of Clerk

North Easton Village District, Annual Meeting, held in Ames Memorial Hall, Monday, April 1, 1946.

Meeting called to order at four o'clock P. M. by Moderator, Joseph W. Linehan.

Polls opened at 4:10 P. M. Closed at 8:00 P. M.

Total votes cast— 77.

Result of Ballot

Moderator—		
Joseph W. Linehan	65	Votes
Clerk—		
Ralph W. Craig	61	"
Treasurer—		
Ralph W. Craig	62	"
Prudential Committee—		
Walfred J. G. Broman	61	"
Daniel L. Kent	48	"
John W. Mahoney	48	"
Water Commissioner for 3 years—		
Cornelius P. Dailey	62	"
Auditors—		
Arthur F. Anderson	62	"
Joseph Connolly	55	"

Voted— To hold meeting in lower hall.

Voted— To accept reports of District Officers.

Voted— To raise and appropriate:

1. Two thousand dollars (\$2,000.00) for building and repairing sidewalks; six hundred fifty dollars (\$650.00) of this money for repairing and extending cement sidewalk on Baldwin St.

2. Three thousand nine hundred twenty-nine dollars and one cent (3,929.01) for street lighting and to add one additional light in front of DeWitt Lumber Yard, on Park Street.

3. Six hundred dollars (\$600.00) for Miscellaneous Expenses.

Voted— To appropriate:

One thousand dollars (\$1000.00) of Water Department's money to secure an additional water supply.

Voted— To authorize the District Treasurer, with the approval of the Prudential Committee, to borrow money in anticipation of the revenue of the ensuing year and issue notes of the District therefor.

Voted— To authorize the Water Commissioners to enter into a contract with the Unionville Fire and Water District to sell and supply water to said district.

Voted— To adjourn.

Raised and Appropriated—

Lighting	\$3,929.01	
Sidewalks	2,000.00	
Miscellaneous Expense	600.00	\$6,529.01

Appropriated—

To Secure Water Supply	\$1000.00
------------------------	-----------

RALPH W. CRAIG,
District Clerk.

**NOTICE
ANNUAL MEETING**

of the North Easton Village District

The legal voters of the North Easton Village District are hereby notified that the Annual Meeting of said District will be held in Ames Memorial Hall, on

MONDAY, APRIL 1, 1946

at 4 o'clock P. M.

The meeting will be called to order in the LOWER HALL, then and there to act upon the following articles:

ARTICLE I. To elect by official ballot a Moderator, a District Clerk, a District Treasurer, a Prudential Committee consisting of three members, two Auditors, all for the term of one year, and a Water Commissioner for the term of three years.

The polls will be open at four o'clock P. M., in the Lower Hall, and may be closed at eight o'clock P. M. Upon the closing of the polls, said meeting will forthwith adjourn to the Upper Hall, then and there to act upon the following articles:

ART. II. To see if the District will accept the reports of the Prudential Committee, Clerk, Treasurer, Water Commissioners, and Auditors.

ART. III. To raise such sums of money as may be necessary to defray the District charges for the ensuing year, and make appropriations for the same.

ART. IV. To see if the District will vote to authorize the District Treasurer, with the approval of the Prudential Committee, to borrow money in anticipation of the revenue of the ensuing year, and issue notes of the District thereof.

ART. V. To see what action the District will take in repairing and extending present cement walk on Baldwin Street and raise and appropriate money for the same. By Petition.

ART. VI. To see what action the District will take in regard to installing one (1) additional street light in front of Dewitt's lumber yard on Park Street, and raise and appropriate money for same.

ART. VII. To see if the District will authorize the Water

Commissioners to enter into a contract with the Unionville Fire and Water District to sell and supply water to said District. By Water Commissioners.

ART. VIII. To see if the District will authorize a sum of money from funds available in Water Department to secure additional water supply. By Water Commissioners.

ART. IX. To transact any other business that may legally come before the meeting.

DANIEL L. KENT,
WALFRID J. G. BROMAN,
JOHN W. MAHONEY,

RALPH W. CRAIG, Clerk

Prudential Committee

Report of Prudential Committee

To the Citizens of the North Easton Village District:

We hereby submit the following report for the year ending February 28, 1947.

At the Annual District Meeting which was held on April 1, 1946, the sum of two thousand dollars (\$2,000.00) was raised and appropriated for rebuilding and repair of Sidewalks. Six hundred seventy-one (671) running feet of walks were rebuilt at a cost of one thousand six hundred ninety-eight dollars and ten cents (\$1,698.10). For repairs, we spent three hundred one dollars and sixty cents (\$301.60).

Walks were rebuilt on Main, Baldwin, Lincoln and Canton Streets.

We recommend a sum of twelve hundred dollars (\$1200.00) be raised and appropriated for repairing and rebuilding sidewalks to carry out this year's schedule, which includes: Williams and Center Streets, together with whatever repairs may be deemed necessary to other walks.

SIDEWALKS

Raised and Appropriated	\$2,000.00
Expended	1,999.70
Unexpended	\$ 30

The following bids were received on Main Street for cement walk and curbing— Carl S. Johnson \$3.00 per running foot.

aid Carl S. Johnson:
125 running feet, as per contract, at \$3.00 \$375.00

The following bids were received on Baldwin Street for cement walk and curbing—
Carl S. Johnson— \$2.60 per running foot.

aid Carl S. Johnson:
114 running feet 5 feet wide as per contract, at \$2.60 \$296.40

The following bids were received on Baldwin Street for cement walk— Carl S. Johnson \$2.20 per running foot.

Paid Carl S. Johnson:
256 running feet 5 feet wide, as per contract, at \$2.20 \$563.20 •

The following bids were received on Lincoln Street for cement walk and curbing—

Carl S. Johnson— \$2.60 per running foot.

Paid Carl S. Johnson:

157½ running feet 5 feet wide, as per contract, at \$2.60	\$409.50
Extra work grading inside of walk	5.00

The following bids were received on Canton Street for cement walk and curbing—

Carl S. Johnson— \$3.00 per running foot.

Paid Carl S. Johnson:

18 running feet 5½ feet wide as per contract, at \$3.00	\$54.00
---	---------

Paid Carl S. Johnson:

For repair work and driveways on following Streets:

Lincoln Street—	
18 feet Driveway at \$3.00 foot	\$54.00
Columbus Ave.—	
18 feet Driveway at \$3.10 foot	55.80
Main Street—	
9 feet Driveway at \$3.00 foot	27.00
Main Street—	
24 running feet of walk at \$2.20 foot	52.80
Holmes Street—	
15 feet Driveway at \$3.50 foot	52.50
Lincoln and Pond Street—	
1 square on each street	3.50
Main Street—	
Cutting Walk	3.00
Main Street—	
12 running feet walk and curbing and filling in, at \$4.00 foot	48.00

Expended	\$1,999.70
----------	------------

STREET LIGHTING

Raised and Appropriated	\$3,929.01
Expended	3,892.87

Unexpended	\$36.14
------------	---------

Paid Brockton Edison Company	\$3,892.87
------------------------------	------------

We have 200-100—candle power lamps at \$17.00 a year and 17-250—candle power lamps at \$30.996 a year.

Credit Storm Outage \$32.29

Report of Prudential Committee

To the Citizens of the North Easton Village District:

We hereby submit the following report for the year ending February 28, 1947.

At the Annual District Meeting which was held on April 1, 1946, the sum of two thousand dollars (\$2,000.00) was raised and appropriated for rebuilding and repair of Sidewalks. Six hundred seventy-one (671) running feet of walks were rebuilt at a cost of one thousand six hundred ninety-eight dollars and ten cents (\$1,698.10). For repairs, we spent three hundred one dollars and sixty cents (\$301.60).

Walks were rebuilt on Main, Baldwin, Lincoln and Canton Streets.

We recommend a sum of twelve hundred dollars (\$1200.00) be raised and appropriated for repairing and rebuilding sidewalks to carry out this year's schedule, which includes: Williams and Center Streets, together with whatever repairs may be deemed necessary to other walks.

SIDEWALKS

Raised and Appropriated	\$2,000.00
Expended	1,999.70
Unexpended	\$ 30

The following bids were received on Main Street for cement walk and curbing— Carl S. Johnson \$3.00 per running foot.

Paid Carl S. Johnson:
125 running feet, as per contract, at \$3.00 \$375.00

The following bids were received on Baldwin Street for cement walk and curbing—
Carl S. Johnson— \$2.60 per running foot.

Paid Carl S. Johnson:
114 running feet 5 feet wide as per contract, at \$2.60 \$296.40

The following bids were received on Baldwin Street for cement walk— Carl S. Johnson \$2.20 per running foot.

Paid Carl S. Johnson:
256 running feet 5 feet wide, as per contract, at \$2.20 \$563.20

The following bids were received on Lincoln Street for cement walk and curbing—

Carl S. Johnson— \$2.60 per running foot.

Paid Carl S. Johnson:

157½ running feet 5 feet wide, as per contract, at \$2.60	\$409.50
Extra work grading inside of walk	5.00

The following bids were received on Canton Street for cement walk and curbing—

Carl S. Johnson— \$3.00 per running foot.

Paid Carl S. Johnson:

18 running feet 5½ feet wide as per contract, at \$3.00	\$54.00
---	---------

Paid Carl S. Johnson:

For repair work and driveways on following Streets:

Lincoln Street—

18 feet Driveway at \$3.00 foot	\$54.00
---------------------------------	---------

Columbus Ave.—

18 feet Driveway at \$3.10 foot	55.80
---------------------------------	-------

Main Street—

9 feet Driveway at \$3.00 foot	27.00
--------------------------------	-------

Main Street—

24 running feet of walk at \$2.20 foot	52.80
--	-------

Holmes Street—

15 feet Driveway at \$3.50 foot	52.50
---------------------------------	-------

Lincoln and Pond Street—

1 square on each street	3.50
-------------------------	------

Main Street—

Cutting Walk	3.00
--------------	------

Main Street—

12 running feet walk and curbing and filling in, at \$4.00 foot	48.00
---	-------

Expended

\$1,999.70

STREET LIGHTING

Raised and Appropriated

\$3,929.01

Expended

3,892.87

Unexpended

\$36.14

Paid Brockton Edison Company

\$3,892.87

We have 200-100—candle power lamps at \$17.00 a year and 17-250—candle power lamps at \$30.996 a year.

Credit Storm Outage \$32.29

MISCELLANEOUS EXPENSES

Raised and Appropriated	\$600.00
Expended	570.10
Unexpended	29.90

MISCELLANEOUS ITEMIZED

District Officer' Salaries:	
Ralph W. Craig, Clerk	\$20.00
Ralph W. Craig, Treasurer	50.00
Daniel L. Kent, Prud. Comm.	50.00
Walfrid J. G. Broman, Prud. Comm.	50.00
John W. Mahoney, Prud. Comm.	50.00
Joseph W. Linehan, Moderator	25.00
Arthur F. Anderson, Auditor	10.00
Joseph Connolly, Auditor	10.00
	\$265.00

ELECTION OFFICERS

Edwin Haglund	\$4.00
Charles E. Johnson	4.00
Nellie Spillane	4.00
Stella Van Vloten	4.00
Cornelius J. Harvey	4.00
Joel A. Johnson	4.00
Cornelius Harvey, 153 N. Main St.	4.00
Manuel Freitas	4.00
Lawrence Gurney	4.00

\$36.00

Paid William N. Howard & Son:

Treasurer's Bond	\$25.00
------------------	---------

Paid Gardner Job Print:

20 Meeting Notices	\$13.75
900 Annual Reports	124.50
500 Ballots	15.00

\$153.25

Paid Harold K. Holmes:

Distributing Annual Reports	\$10.00
-----------------------------	---------

Paid Sigfrid V. Ledin:

Typing Sidewalks Specifications for year 1945 and 1946	\$4.00
--	--------

Paid Ralph W. Craig:

Posting Notices	\$2.00
-----------------	--------

Paid Treasurer and Clerk's Expenses	\$6.50	
Envelopes and Stamps	2.50	
Paid Town of Easton	\$9.00	
Collecting Taxes		\$65.85
Expended		\$570.10

APPROPRIATIONS

Sidewalks	\$2,000.00	
Street Lighting	3,929.01	
Miscellaneous Expenses	600.00	
		\$6,529.01

EXPENDITURES

Sidewalks	\$1,999.70	
Street Lighting	3,892.87	
Miscellaneous Expenses	570.10	
		\$6,462.67

UNEXPENDED

Sidewalks	\$.30	
Street Lighting	36.14	
Miscellaneous Expenses	29.90	
		\$66.34

Respectfully Submitted,

WALFRID J. G. BROMAN,

DANIEL L. KENT,

JOHN W. MAHONEY,

Prudential Committee.

Report of the Water Commissioners

To the Citizens of North Easton Village District:

We submit the following report for the year ending February 28, 1947:

STATEMENT

Cash on Hand, March 1, 1946	\$11,054.85
-----------------------------	-------------

RECEIPTS

Received from Meter Service	\$11,066.24
Received from Rental of Meters	514.75
Received from Repairs and Renewals	1,056.48
Received from Interest on Deposits	75.29
Received from American Motorists Ins. Co.	16.00
Received from Lumbermans Insurance Co.	120.19
Received from American Policy Ins. Co.	120.00
Received from Kelley's Store	17.00
Received from No. Easton Village District	3,500.00
Received from Corcoran Supply Co.	
(Adj. on checks)	25.40
	16,511.35
	\$27,566.20

PAYMENTS

Operating Expenses	\$4,998.26
aid for Repairs	3,933.20
aid Bonds	2,000.00
aid Interest on Bonds	135.00
aid for Meters and Merchandise	1,992.63
aid for Painting Standpipe	400.00
aid for Painting Hydrants	127.50
aid for Electric Wiring of Plant	772.56
Paid for Rebuilding Coal and Supply Shed	463.12
Paid No. Easton Village District	3,500.00
Paid for Additional Water Supply	1,000.00
	\$19,322.27
Cash on Hand, March 1, 1947	\$8,243.93
	\$27,566.20

OPERATING EXPENSES

Paid Superintendant:	
John H. McEntee	\$2,370.40
Paid John H. McEntee, Internal Revenue	129.60
Paid Clerk	766.56
Paid Water Commissioners	150.00
Paid McCarthy Coal Co.	319.55
Paid Wm. T. Knapp & Sons	151.04
Paid J. J. Reardon	271.94
Paid No. Easton Service Station	122.88
Paid N. E. Tel. & Tel. Co.	64.41
Paid E. E. I. Co., of Brockton	31.15
Paid Clement Coughlin, Postmaster	66.00
Paid Standard Oil Co.	116.10
Paid Wm. N. Howard & Son	173.70
Paid American Railway Express Co.	6.97
Paid Anderson's Express	2.11
Paid Frank Blake	35.61
Paid Kelley's Store	1.00
Paid Porter Trucking Co.	.82
Paid Robert Watt	28.30
Paid N. Y., N. H. & H. R. R. Co.	18.31
Paid Corcoran Supply Co.	18.67
Paid M. F. Ellis	39.69
Paid Clyde Craig, Office Supplies	9.25
Paid Frank Reynolds, Office Supplies	.50
Paid Brockton Transportation Co.	2.44
Paid H. L. Stoddard & Son	2.52
Paid L. J. Peabody	3.50
Paid Red Hed Manufacturing Co.	15.82
Paid Mason-Neilan Regulator Co.	.50
Paid George Caldwell	1.61
Paid Ernest Lougee	6.80
Paid D. J. O'Connell	1.70
Paid H. W. Farley	10.00
Paid Anna C. Craig	35.41
Paid DeLux Filter & Piston Co.	23.40
	\$4,998.26

INTEREST

Paid Interest on Bonds	\$135.00
Less Received from Int. on Deposits	75.29

\$59.71

REPAIRS

Paid Corcoran Supply Co.	\$ 57.10	
Paid Red Hed Manufacturing Co.	46.13	
Paid Mitrano's Garage	136.00	
Paid Robert Watt	81.76	
Paid Braman, Dow & Co.	708.82	
Paid H. F. Johnson & Son	66.40	
Paid Rockwell Manufacturing Co.	397.03	
Paid Hersey Manufacturing Co.	31.00	
Paid Kelley's Store	18.10	
Paid MacDonald & Payne Co.	11.25	
Paid Dupree Auto Electric Co.	9.00	
Paid John Gustafson	16.00	
Paid Eugene Callahan	27.20	
Paid John Galvin	20.40	
Paid George Larson	20.40	
Paid Albert Carlson	65.03	
Paid John Fernandes	508.30	
Paid Frances Fernandes	20.40	
Paid John Madeiros	1,692.88	
		\$3,933.20

MERCHANDISE

Paid Corcoran Supply Co.	\$1,346.62	
Paid Braman, Dow & Co.	201.72	
Paid Red Hed Manufacturing Co.	186.19	
Paid Pittsburgh Meter Co.	78.13	
Paid Rockwell Manufacturing Co.	76.98	
Paid L. J. Peabody & Co.	67.81	
Paid Robert Watt	35.18	
		\$1,992.63

PAINTING STANDPIPE (OUTSIDE)

Paid The Palfrey Co.	\$400.00
----------------------	----------

PAINTING HYDRANTS

Paid Eugene Callahan	\$127.50
----------------------	----------

ELECTRIC WIRING OF PLANT

Paid H. L. Stoddard & Son	\$772.56
---------------------------	----------

REBUILDING OF COAL AND SUPPLY SHED

Paid James Mullen	\$305.23	
Paid Austin McNayr	89.89	
Paid Geo. H. DeWitt & Son	68.00	
		\$463.12

PAYMENT OF BONDS

Paid The First National Bank of Boston	\$2,000.00
--	------------

ADDITIONAL WATER SUPPLY

Total Expenses	\$2,445.20
Paid Edward F. Hughes	1,000.00
Unpaid Balance	\$1,445.20

FINANCIAL CONDITION

Cash	\$8,243.93
Bonds Due	2,000.00
Accounts Receivable	1,585.67
Accounts Payable	2,033.50

We have examined the above accounts and found them to be correct.

ARTHUR F. ANDERSON,
JOSEPH CONNOLLY,
Auditors

Water pumped from March 1, 1946, to February 28, 1947:

March, 1946	6,966,000	gallons
April, 1946	6,998,670	"
May, 1946	7,221,180	"
June, 1946	6,860,430	"
July, 1946	9,925,010	"
August, 1946	7,061,320	"
September, 1946	7,046,090	"
October, 1946	7,422,230	"
November, 1946	6,997,180	"
December, 1946	7,175,400	"
January, 1947	8,187,430	"
February, 1947	8,221,370	"

Gallons pumped for year Mar. 1, 1946-February 28, 1947 90,082,310

Gallons fuel used 6,557

Gallons of lubricating oil used 159 1/2

Gallons pumped per week-average 1,762,352

Gallons pumped per day-average 251,765

New Services Installed 6

Renewals 37

Services Repaired 15

Hydrants Renewed 2

Hydrants Repaired 4

The expenses of the Water Department have increased heavily since 1944 due to the general run-down condition of the pumping units, repairs and replacement of street valves, increased number of renewals and increased cost of labor and operating materials. In view of the mounting costs yearly in maintaining the Diesel Pumping Units in operation we felt it advisable to secure the services of Mr. F. A. Barbour, an authority and consulting engineer on water supply, to make a survey of our pumping facilities and to recommend measures for improvement. Below is a portion of his report:

Boston, Mass., 1/15/47

Water Commissioners;
North Easton Village District,
North Easton, Mass.
Dear Sirs:

In accordance with your instructions, the following report on existing conditions and advisable improvements of your pumping facilities is submitted:—

The plant now includes two Aldrich single stage, double suction, centrifugal pumps, directly connected by flexible couplings to high speed (1400 r. p. h.) 6-cylinder Hercules Diesel engines—the starting and stopping of which is automatically controlled by the level of the water in the standpipe through relays and storage battery-powered motors:—

1944—Diesel Engine No. 1 broke down while smaller Diesel also out of commission—the emergency condition making necessary the rental of a used larger Diesel (No. 2)—this engine being later purchased (with allowance for the smaller Diesel).

1945—Diesel Engine No. 1 rebuilt at factory and installed in place of the smaller Diesel.

1947—Diesel Engine No. 2 now in need of factory rebuilding, but temporarily repaired for possible emergency use.

Thus at the present time the pumping plant comprises the rebuilt No. 1 Diesel originally installed in 1935, and the No. 2 Diesel now in need of factory overhaul, but temporarily repaired. This situation in our opinion involves serious risk—particularly since neither factory overhaul of the No. 2 engine, or delivery of new equipment, can probably be affected under present market conditions in less than six months. In our opinion the No. 2 engine should be immediately put in condition which will make it safe for emergency use, and when this is done the No. 1 engine should be taken down and cleaned for regular service.

The cost of continuing this equipment in operation is found in the actual records to date. Approximately \$16,500 has been expended for the purchase, replacement and repair of the Diesel engine pumping equipment and accessories, of which approximately \$8,400 was expended for the purchase of equipment now in the station in more or less serviceable condition, and the remainder for repairs, replacement of parts, and for servicing. Thus, allowing for a probable near future cost of \$2,000.00 for factory overhaul necessary to put the No. 2 Diesel engine in good operating condition, the total cost of maintenance may be approximated at \$10,000.00—equivalent, on the basis of an average yearly volume of 86 million gallons pumped, to approximately \$10.00 per million gallons. Adding this maintenance cost to the estimated fuel cost of \$7.11 per million gallons of water pumped makes a total average cost of Diesel engine operation to date, somewhat more than \$17.00 per million gallons pumped. Without much doubt the maintenance cost could have been kept substantially less than the \$10.00 per million gallons shown by the past record, if the plant had been operated thru the years by a skilled mechanic capable of taking down and reconditioning the engines at the necessary

intervals. On the other hand, the maintenance cost of comparatively light high speed Diesel engines automatically started and stopped at frequent intervals, must inevitably be relatively high, and in our opinion should not be estimated at less than \$7.00 per million gallons under conditions where one man is held responsible, not only to the supervision of the pumping plant, but also for the physical operation of the entire waterworks system.

In our judgement, therefore, it may be concluded that the cost of continued operation of the Diesel plant will not be less than \$14.00 per million gallons, and may exceed this figure. With this as a base, it is now in order to consider the comparative cost and feasibility of pumping by electric motors.

The economy of motor-driven units depends on the reduction of the discharge capacity of the pumps to the minimum necessary to supply the probable maximum day consumption because of the demand charge in the electric rate schedule, and the reduction in pump lift incident to the lesser pipe friction at the lower pump rate.

The comparative cost of pumping by motor drive at discharge rates varying from 200 - 600 g. p. m. is based on rate schedule 218 of the Brockton Edison Company, and an assumption of 65 per cent overall efficiency of the pump units. The volume pumped during 1944-1945-1946 has averaged 7.2 million gallons per month and it may be noted that with this monthly pumpage, the cost of the electric energy, at a pump rate of 300 gallons per minute, is \$14.50 per million gallons or \$1250.00 per year—as opposed to \$19.35 per million gallons, or \$1670.00 per year with a pump rate of 600 gallons per minute with Diesels operating intermittently.

It is therefore our opinion that if electric drive were to be adopted, the pump unit should have a discharge capacity of 300 gallons per minute, or 432,000 gallons per day.

In any case, the No. 1 Diesel unit should be retained for use in case of any outage of the electric service by cyclone, or ice storm.

As already indicated, the cost of electric power per million gallons pumped at a discharge capacity of 300 g. p. m. will be little—if any—more than the estimated minimum future cost per million gallons of continued Diesel operation. The electric equipment will be simpler and less liable to sudden breakdown than the 10 year old Diesel engines. Necessary attendance will be reduced and your Superintendent will be able to devote more time to his other duties.

Accordingly we recommend the replacement of the No. 2 Diesel unit by motor-driven equipment.

NEW WATER SUPPLY

After continual demands received from the Dept. of Public Health of the Commonwealth since the year 1940, we have located

an additional water supply suitable to that department south of Lincoln Street on the premises of the Easton Land Company. A letter of approval of the supply secured has been received from the State Dept. of Public Health, part of which follows: Quote—The wells were driven in this location to depths of 28 feet on the average with one well to 30 feet. The soil penetrated consisted of sand and gravel from which water could be drawn freely. The pumping test was conducted on a group of five tubular wells, pumping at a rate of 104 gallons per minute from 11 o'clock on January 15 to nearly noon on January 23, a period of eight days. During the test, the water level in the observation wells remained practically constant after the first two days. When pumping ceased, the water level recovered completely in a period of 45 minutes.

The analyses show that the water was clear, free from sediment very low in color, odorless, very low in organic matter and iron, and free from manganese. The water was relatively soft.

Tests made to determine the amount of carbon dioxide gas present in the water showed that the amount was less than any known to make the water actually corrosive of metallic pipes. In the opinion of the Department, the water pumped during the pumping test was of excellent quality for use by the district supplied by it.

The Department is of the opinion that a substantial amount of water may be pumped continuously from this area in which the pumping test was conducted to supplement the supply available from the present works of the district.

A number of wells were driven before a favorable location was found. We now have eight producing wells, three of which were used as observation wells during the tests, and will be available for additional pumping facilities.

Articles are in the warrant to cover the purchase of land and development of this project.

The Standpipe and hydrants were repainted during the year as major repairs being accomplished on the storage shed at the pumping station.

CLYDE A. CRAIG,
CORNELIUS P. DAILEY,
FRANK J. REYNOLDS,

Water Commissioners

Report of Treasurer

For the year ending February 28, 1947

Receipts

Cash on Hand March 1, 1946	\$ 280.41	
Rec'd from Water Dept.	3,500.00	
Taxes—1946	6,423.48	
Taxes—1945	148.90	
Taxes—1944	28.56	
Taxes—1943	.12	
Taxes—1942	.34	
Taxes—1941	.34	
		\$10,382.15

Expenditures

Street Lighting	\$3,892.87	
Sidewalks	1,999.70	
To Water Department	3,500.00	
Misscellaneous Expenses	570.10	\$9,962.67
North Easton Village District Balance		\$419.48

North Easton Water Department

Cash on Hand March 1, 1946	\$11,054.85	
Receipts	16,511.35	
	\$27,566.20	
Expenses	\$19,322.27	
North Easton Water Dept. Balance		\$8,243.93
Cash on Hand March 1, 1947		\$8,663.41

RALPH W. CRAIG,
District Treasurer.

We have examined the accounts of the Treasurer, and found same correct.

ARTHUR F. ANDERSON,
JOSEPH CONNOLLY,
Auditors.

March 24, 1947

Report of Tax Collector

NORTH EASTON VILLAGE DISTRICT TAXES

March 1, 1946 to February 28, 1947

DR.

Taxes of 1944 uncollected, March 1, 1946,	\$	28.44	
Taxes of 1945 uncollected, March 1, 1946,		145.47	
Recommitment of 1945 taxes in 1946		.72	
Tax commitment of 1946		6,791.11	
Abatements after payment, 1946 taxes		52.63	
			\$7,018.37

CR.

Taxes of 1944 collected	\$	28.08	
Taxes of 1945 collected		130.35	
Taxes of 1946 collected		6,545.27	
Taxes of 1944 abated		.36	
Taxes of 1946 abated		9.70	
Tax Taking Account, 1946 taxes		4.55	
Taxes of 1945 uncollected, Feb. 28, 1947,		15.84	
Taxes of 1946 uncollected, Feb. 28, 1947,		231.59	
Taxes of 1946 refunded		52.63	
			\$7,018.37

STANLEY F. RICE,

Collector of Taxes.